

Technical Specification_Euro-V 4x2 Tractor

model No.		HFC4181P1K1A35V
type		4*2 tractor
cabin	cabin serie	A5-Ⅲ
	cabin type	wide, half-height
	other	new and modern inner trim on A5-serie
weight and dimension	Gross Axle Loading Weight	19500 (GCW 40000)
	wheelbase (mm)	3500
	frame cross-section dimension (mm)	280×80×(8+5)
engine	engine model	WEICHAİ WP12.375E50
	emission	Euro-V
	Rated output power (hp/rpm)	375/1900
	Max torque (Nm/rpm)	1800/1000~1400
	engine brake	●
	displacement (cc)	11596
transmission	transmission brand, model	FAST 12JSD180TA
	MT/AMT	MT
	PTO	QH50
clutch	brand	VALEO
axle	front-axle loading capacity (kg)	6500
	rear-axle loading capacity (kg)	13000
air-intake and air-outlet	air-filter type	ordinary air-filter for on-road working condition
	exhaust-pipe direction	left
	exhaust brake	●
fuel-system	fuel-tank volume (Liter)	400
	tank material	aluminium alloy
A/C and heating	air-condition	●
	heating	●
	air-condition (vehicle's parking)	×
electric system	MP3+radio	●
	TBOX	×
	reverse warning beeper	●
	cruise control	●

vehicle body and accessory	vehicle glass-lifting	electric-controlled
	cabin flip	electric-controlled
	driver seat	air-seat
	co-driver seat	mechanical seat
	door lock type	remote-control
	cabin rear-suspension type	two air-bag at rear side
	inner trim color	black&light-yellow
	in-cabin fire extinguisher	4kg
	front logo color	silver
	cabin tail-lamp	●
	daytime running lamp	●
	rear-view mirror	electrically-adjusted
	front bumper	-
	full-cover mudguard	×
	rear bumper	○
chassis	front-axle stabilizer	×
	rear-axle stabilizer	×
	front suspension type	multi-piece parabolic leaf-spring
	rear suspension type	multi-piece parabolic leaf-spring
brake	brake valve brand	WABCO
	air-reservoir material	aluminium alloy
	water-release valve	automatic
	ABS	●
	front-brake type	drum type
	rear-brake type	drum type
steering	BOSCH steering device	●
tire	tire model	12.00R20 18PR
	steel-made wheel rim	●

